



Payame Noor  
University



Research Article

## Comparison of Some MCDM Techniques in a Hesitant Fuzzy Environment

Harmandeep Kaur , Sukhpreet Kaur Sidhu  

Department of Mathematics, Akal University, Talwandi Sabo (151302), Punjab, India

### Article History

*Received:* June 30, 2025

*Accepted:* February 15, 2026

*Available online:* May 21, 2026


### How to Cite

Kaur, H., Kaur Sidhu, S. (2026). "Comparison of some MCDM techniques in a hesitant fuzzy environment". *Control and Optimization in Applied Mathematics*, 11(2), 33-63. <https://doi.org/10.30473/coam.2026.74974.1318>

**Abstract.** Multi-criteria decision-making (MCDM) often involves situations characterized by uncertainty, ambiguity, and vagueness. To address such complexities, MCDM techniques play a crucial role. This paper presents a comparative analysis of two widely used methods—Technique for Order Preference by Similarity to Ideal Solution (TOPSIS) and VlseKriterijumska Optimizacija I Kompromisno Resenje (VIKOR)—within a hesitant fuzzy environment. Hesitant fuzzy sets allow decision-makers to express hesitation by assigning multiple possible membership values to an element rather than a single value. In this framework, the TOPSIS ranks alternatives based on their closeness to the positive and negative ideal solutions, while the VIKOR identifies a compromise solution by balancing individual and collective regret measures. The effectiveness of the comparison is demonstrated through illustrative numerical examples. Moreover, some real life applications of these methods are discussed.

**Keywords.** Multi-criteria decision-making, Fuzzy, Hesitant fuzzy set, TOPSIS, VIKOR, Kendall's rank correlation, Decision uncertainty.

**MSC.** 03E72; 90D05; 90C29.

Corresponding author. **E-mail:** [sukhpreet\\_math@auts.ac.in](mailto:sukhpreet_math@auts.ac.in)

## 1 Introduction

In daily life, individuals frequently face decision-making situations ranging from simple choices to complex problems that require systematic evaluation methods. Multi-Criteria Decision-Making (MCDM) provides structured approaches for addressing such problems and plays an important role in situations involving multiple, often conflicting, criteria. These methods have been widely applied in fields such as economics, engineering, environmental studies, and management science to support decision-makers in selecting the most appropriate alternative among competing options. Over time, several MCDM techniques have been developed, including the Technique for Order Preference by Similarity to an Ideal Solution (TOPSIS) proposed by Hwang and Yoon [14], the VIKOR method introduced by Opricovic and Tzeng [19], the Analytic Hierarchy Process (AHP) developed by Saaty [21], and the ELimination and Choice Expressing REality (ELECTRE) method proposed by Benayoun et al. [9].

Fuzzy set theory was introduced to address uncertainty, imprecision, and vagueness inherent in real-world data and has found extensive applications in control systems, decision-making, artificial intelligence, and medical diagnosis. It is particularly effective for modeling linguistic variables and situations where precise numerical boundaries are difficult to define. To handle more complex forms of uncertainty, several generalizations of fuzzy sets have been proposed. Atanassov [3] introduced intuitionistic fuzzy sets (IFS) in 1985 by incorporating both membership and non-membership degrees. Later, Torra [24] proposed hesitant fuzzy sets (HFS) in 2009, allowing decision-makers to express hesitation by assigning multiple possible membership values rather than a single one.

Among classical MCDM techniques, VIKOR and TOPSIS are well-known methods for identifying ideal solutions. VIKOR focuses on obtaining a compromise solution in the presence of conflicting criteria, whereas TOPSIS ranks alternatives based on their relative closeness to the ideal solution and distance from the negative-ideal solution. Opricovic and Tzeng [19] compared VIKOR with TOPSIS and ELECTRE, highlighting the advantages and limitations of each approach and emphasizing the effectiveness of VIKOR in resolving compromise-based decision problems.

Subsequent research extended these methods to more complex fuzzy environments. Interval-valued intuitionistic fuzzy and hesitant fuzzy variants of MCDM methods were developed to address higher levels of uncertainty. Hesitant fuzzy sets, in particular, provide an effective mechanism for representing vagueness and hesitation in human judgment, although their application in MCDM remains comparatively limited. Liao and Xu [15, 16, 17] proposed several hesitant fuzzy decision-making frameworks, including VIKOR-based approaches, highlighting their effectiveness in handling uncertainty and hesitation. Verma and Sharma [25] introduced new operational laws for HFSs to enhance decision-making capabilities, while Torra and Narukawa [18] contributed further conceptual developments. Zhang and Wu [29] investigated weighted fuzzy sets in MCDM, emphasizing the role of criterion weights in hesitant fuzzy environments. Hansen and Devlin [13] explored applications of multi-criteria decision analysis in healthcare, and Garg et al. [12] proposed a hesitant fuzzy decision framework integrating TOPSIS with the Choquet integral. Zhang and Wei [28] further extended the VIKOR method for decision-making problems involving HFSs.

Recent theoretical developments have also focused on hesitant fuzzy equations and algebraic structures that support advanced modeling of decision uncertainty. Babakordi and Taghi-Nezhad [5] introduced hesitant fuzzy equations and analyzed market equilibrium prices under hesitant fuzzy environments. Babakordi and Allahviranloo [4] proposed solution techniques for hesitant fuzzy systems of linear equations, while Taghi-Nezhad and Babakordi [23] developed fully hesitant parametric fuzzy equations extending classical fuzzy models. Further analytical properties of hesitant fuzzy equation systems were studied by Babakordi et al. [6]. Additionally, Babakordi [7, 8] proposed new arithmetic operations on generalized trapezoidal hesitant fuzzy numbers and introduced new classes of hesitant fuzzy soft sets, contributing to the mathematical foundations of hesitant fuzzy theory and enabling more flexible multi-criteria decision modeling.

In recent years, significant progress has been made in hybrid fuzzy MCDM techniques that incorporate hesitant fuzzy information to better capture decision uncertainty. Akram and Ali [2] proposed a hybrid hesitant fuzzy MCDM framework for system selection problems, while Ferrara, et al. [11] developed a hesitant fuzzy expert-based decision model for analyzing complex financial environments. Abdel-Basset et al. [1] introduced a hybrid fuzzy MCDM scheme combining MEREC-G and RATMI methods, and Saha et al. [22] proposed a consensus-based MULTIMOORA framework under a probabilistic hesitant fuzzy environment for manufacturing vendor selection.

The present study compares the TOPSIS and VIKOR methods within a hesitant fuzzy framework, aiming to systematically analyze their relative methodological behavior under identical hesitant fuzzy settings and to provide practical guidance for selecting appropriate techniques in real-world MCDM applications, rather than proposing a new theoretical model.

The remainder of this paper is organized as follows. Section 2 introduces the fundamental concepts of hesitant fuzzy elements. Section 3 describes the HF-VIKOR method and the TOPSIS technique for multi-criteria decision-making. Section 4 presents numerical illustrations for both MCDM techniques. Section 5 provides a comparative analysis of the two MCDM methods, and Section 6 concludes the paper.

## 2 Preliminaries

Before presenting the comparative analysis, it is necessary to outline the fundamental concepts that form the basis of this study. This section reviews essential definitions and mathematical formulations related to hesitant fuzzy elements (HFEs), which constitute the core component of the hesitant fuzzy environment employed throughout the subsequent methodology and analysis.

### 2.1 Some Basic Definitions

**Definition 1.** [27] A fuzzy set  $\tilde{A}$  in a universal set  $X$  is defined as

$$\tilde{A} = \{(x, \mu_{\tilde{A}}(x)) \mid x \in X\},$$

where  $\mu_{\tilde{A}}(x) : X \rightarrow [0, 1]$  denotes the membership degree of  $x$  in  $\tilde{A}$ .

**Definition 2.** [10] A fuzzy set  $\tilde{A}$  on  $\mathbb{R}$  is called a fuzzy number if

1.  $\tilde{A}$  is normal, i.e.,  $h(\tilde{A}) = 1$ ,
2. for every  $\alpha \in (0, 1]$ , the  $\alpha$ -cut of  $\tilde{A}$  is a closed interval,
3. the support of  $\tilde{A}$  is bounded.

**Definition 3.** [3] An intuitionistic fuzzy set (IFS)  $\tilde{A}^I$  on a universal set  $X$  is defined as

$$\tilde{A}^I = \{(x, \mu_{\tilde{A}^I}(x), \nu_{\tilde{A}^I}(x)) \mid x \in X\},$$

where  $\mu_{\tilde{A}^I}(x)$  and  $\nu_{\tilde{A}^I}(x)$  denote the membership and non-membership degrees, satisfying

$$0 \leq \mu_{\tilde{A}^I}(x) + \nu_{\tilde{A}^I}(x) \leq 1.$$

The hesitation degree is given by

$$\pi_{\tilde{A}^I}(x) = 1 - \mu_{\tilde{A}^I}(x) - \nu_{\tilde{A}^I}(x).$$

**Definition 4.** [18, 24] A hesitant fuzzy set (HFS)  $\tilde{H}$  on a universal set  $X$  is defined as

$$\tilde{H} = \{ \langle x, h_H(x) \rangle \mid x \in X \},$$

where each hesitant fuzzy element (HFE) is

$$h_H(x) = \{ \gamma_1, \gamma_2, \dots, \gamma_n \}, \quad \gamma_i \in [0, 1].$$

**Definition 5.** [15] For an HFE  $h$ , the score function is defined as

$$s(h) = \frac{1}{l_h} \sum_{\gamma \in h} \gamma,$$

where  $l_h$  denotes the cardinality of  $h$ .

**Example 1.** Let  $a = (0.1, 0.4, 0.7)$  and  $b = (0.7, 0.2)$ . Then

$$s(a) = \frac{0.1 + 0.4 + 0.7}{3} = 0.4, \quad s(b) = \frac{0.7 + 0.2}{2} = 0.45.$$

Since  $s(a) < s(b)$ , it follows that  $b > a$ .

**Definition 6.** [15] The variance function of an HFE  $h$  is defined as

$$v(h) = \frac{1}{l_h} \sqrt{\sum_{\gamma_i, \gamma_j \in h} (\gamma_i - \gamma_j)^2}.$$

**Example 2.** Let  $a = (0.2, 0.3, 0.7)$  and  $b = (0.7, 0.2)$ . Then

$$v(a) = \frac{1}{3} \sqrt{(0.2 - 0.3)^2 + (0.2 - 0.7)^2 + (0.3 - 0.7)^2} = 0.14,$$

$$v(b) = \frac{1}{2} \sqrt{(0.7 - 0.2)^2} = 0.25.$$

Since  $v(b) > v(a)$ , it follows that  $a > b$ .

**Definition 7.** [15] The Manhattan distance between two HFEs  $a$  and  $b$  is defined as

$$d(a, b) = \frac{1}{l} \sum_{i=1}^l |a^{\sigma(i)} - b^{\sigma(i)}|,$$

where  $a^{\sigma(i)}$  and  $b^{\sigma(i)}$  denote the  $i$ -th smallest elements and  $l$  is the maximum cardinality.

**Example 3.** Let  $a = (0.2, 0.3, 0.7)$  and  $b = (0.7, 0.8, 0.5)$ . Then

$$d(a, b) = \frac{1}{3} (|0.2 - 0.7| + |0.3 - 0.8| + |0.7 - 0.5|) = 0.4.$$

**Definition 8.** [26] For two adjusted HFEs  $a$  and  $b$ , let  $h_{j(i)}$  denote the  $i$ -th smallest element of  $h_j$ , and let  $l$  be the maximum cardinality. The hesitant normalized Hamming and Euclidean distances are defined as

$$d_{hnh}(a, b) = \frac{1}{l} \sum_{i=1}^l |h_{1(i)} - h_{2(i)}|,$$

$$d_{hne}(a, b) = \sqrt{\frac{1}{l} \sum_{i=1}^l (h_{1(i)} - h_{2(i)})^2}.$$

### 3 Algorithms

This section presents the algorithmic procedures of the HF-VIKOR and TOPSIS methods in the hesitant fuzzy environment.

#### 3.1 Algorithm to Tackle the Problem Using the Hesitant Fuzzy VIKOR Approach

Building upon the conceptual framework described earlier, this subsection presents the algorithmic procedure of the hesitant fuzzy VIKOR approach for solving multi-criteria decision-making (MCDM) problems. The stepwise procedure is primarily adapted from the hesitant fuzzy VIKOR models proposed by Liao and Xu [15] and Zhang and Wei [28].

---

#### Algorithm 1 Hesitant Fuzzy VIKOR Approach

---

**Input:** Alternatives  $A_i$  ( $i = 1, \dots, m$ ), criteria  $C_j$  ( $j = 1, \dots, n$ ), weights  $w_j$  ( $\sum w_j = 1$ ), hesitant fuzzy evaluations  $H_{ij}$ .

**Output:** Compromise ranking and best alternative(s).

1. **Construct the hesitant fuzzy decision matrix [15, 28].** Define  $H_{ij} = \{h_{ij}^1, \dots, h_{ij}^{k_{ij}}\} \subseteq [0, 1]$  and form  $H = (H_{ij})$ .
2. **Compute mean values [15].**

$$h_{ij} = \frac{1}{k_{ij}} \sum_{l=1}^{k_{ij}} h_{ij}^l.$$

3. **Normalize the matrix [28].** Let  $h_j^{\min} = \min_i h_{ij}$  and  $h_j^{\max} = \max_i h_{ij}$ . Then

$$h'_{ij} = \begin{cases} \frac{h_{ij} - h_j^{\min}}{h_j^{\max} - h_j^{\min}}, & \text{benefit,} \\ \frac{h_j^{\max} - h_{ij}}{h_j^{\max} - h_j^{\min}}, & \text{cost.} \end{cases}$$

4. **Weighted normalized values [15, 28].**

$$v_{ij} = w_j h'_{ij}.$$

5. **Utility and regret measures [15].** Let

$$f_j = \begin{cases} \max_i v_{ij}, & \text{benefit,} \\ \min_i v_{ij}, & \text{cost.} \end{cases}$$

$$S_i = \sum_{j=1}^n (f_j - v_{ij}), \quad R_i = \max_j |f_j - v_{ij}|.$$

6. **Compromise index [15, 28].** Let  $S_{\min}, S_{\max}, R_{\min}, R_{\max}$  be the extreme values. Then

$$Q_i = v \frac{S_i - S_{\min}}{S_{\max} - S_{\min}} + (1 - v) \frac{R_i - R_{\min}}{R_{\max} - R_{\min}},$$

where  $v \in [0, 1]$  (commonly  $v = 0.5$ ). Clearly,  $Q_i \in [0, 1]$  and smaller values indicate better performance.

7. **Ranking and compromise solution [28].** Rank alternatives increasingly by  $Q_i$ . The best alternative  $A_1$  is accepted if (i)  $Q(A_2) - Q(A_1) \geq \frac{1}{m-1}$ , (ii)  $A_1$  is also top-ranked by  $S_i$  or  $R_i$ .

If one of the above conditions is not satisfied, a set of compromise solutions may be proposed. Sensitivity analysis with respect to  $v$  can also be conducted to examine the robustness of the ranking.

---

### 3.2 Algorithm to Tackle the Problem Using the Hesitant Fuzzy TOPSIS Approach

#### 4 Numerical Examples

This section presents numerical examples to demonstrate the applicability and effectiveness of the proposed methods

##### 4.1 HF-VIKOR

To further illustrate the practical applicability of the hesitant fuzzy VIKOR methodology described in the preceding subsection, this part presents numerical examples that demonstrate its step-by-step implementation. These examples show how the HF-VIKOR approach is applied to a multi-criteria decision-making problem and highlight the interpretation of results within a hesitant fuzzy environment.

**Example 4.** Consider an MCDM problem with hesitant fuzzy sets, where the set of alternatives is  $A = \{A_1, A_2, A_3\}$  and the criteria are defined as  $C = \{C_1, C_2, C_3\}$ . The criterion weights are specified as  $w = (0.4, 0.3, 0.3)$ , as detailed in the table below.

**Step 1:** Construct the hesitant fuzzy decision matrix  $H = [h_{ij}]$ :

The hesitant fuzzy decision matrix is summarized in Table 1.

**Table 1:** Hesitant fuzzy decision matrix.

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	{0.5, 0.4, 0.3}	{0.6, 0.8}	{0.3, 0.6, 0.9}
$A_2$	{0.4, 0.5}	{0.7, 0.2, 0.8}	{0.5, 0.8, 0.9}
$A_3$	{0.4, 0.8, 0.6}	{0.5, 0.7, 0.4}	{0.3, 0.6, 0.7}

**Step 2:** Compute the average value for every HFE.

The mean value for HFE is given by

$$h_{ij} = \frac{\sum_{k=1}^n h_k}{n},$$

where  $h_k$  are the elements of the hesitant fuzzy set.

For Criteria  $C_1$  :

$$h_{11} = \frac{0.5 + 0.4 + 0.3}{3} = 0.4, \quad h_{21} = \frac{0.4 + 0.5}{2} = 0.45, \quad h_{31} = \frac{0.4 + 0.8 + 0.6}{3} = 0.6.$$

For Criteria  $C_2$  :

$$h_{12} = 0.7, \quad h_{22} = 0.5667, \quad h_{32} = 0.5333.$$

For Criteria  $C_3$  :

$$h_{13} = 0.6, \quad h_{23} = 0.7333, \quad h_{33} = 0.5333.$$

The mean decision matrix is reported in Table 2.

**Algorithm 2** Hesitant Fuzzy TOPSIS Method

**Input:** Set of alternatives  $A = \{A_1, \dots, A_m\}$ , set of criteria  $C = \{C_1, \dots, C_n\}$ , criteria weights  $w_j$  ( $j = 1, \dots, n$ ) with  $w_j \geq 0$  and  $\sum_{j=1}^n w_j = 1$ , and hesitant fuzzy evaluations  $H_{ij}$ .

**Output:** Ranking of alternatives.

1. **Construct the hesitant fuzzy decision matrix [12].** For each alternative  $A_i$  under criterion  $C_j$ , express the evaluation as a hesitant fuzzy element

$$H_{ij} = \{h_{ij}^1, h_{ij}^2, \dots, h_{ij}^{k_{ij}}\},$$

where  $h_{ij}^l \in [0, 1]$ . Form the matrix  $H = (H_{ij})_{m \times n}$ .

2. **Compute the mean score of each hesitant fuzzy element [12].** Transform each  $H_{ij}$  into a crisp value by

$$d_{ij} = \frac{1}{k_{ij}} \sum_{l=1}^{k_{ij}} h_{ij}^l.$$

Obtain the aggregated decision matrix  $D = (d_{ij})$ .

3. **Normalize the decision matrix [12].** Let

$$d_j^{\min} = \min_i d_{ij}, \quad d_j^{\max} = \max_i d_{ij}.$$

For benefit criteria,

$$d'_{ij} = \frac{d_{ij} - d_j^{\min}}{d_j^{\max} - d_j^{\min}}.$$

For cost criteria,

$$d'_{ij} = \frac{d_j^{\max} - d_{ij}}{d_j^{\max} - d_j^{\min}}.$$

Denote the normalized matrix by  $D' = (d'_{ij})$ .

4. **Construct the weighted normalized matrix [12].**

$$v_{ij} = w_j d'_{ij}.$$

Form  $V = (v_{ij})$ .

5. **Determine the positive and negative ideal solutions [12].**

$$v_j^+ = \max_i v_{ij}, \quad v_j^- = \min_i v_{ij}.$$

Define

$$A^+ = \{v_1^+, \dots, v_n^+\}, \quad A^- = \{v_1^-, \dots, v_n^-\}.$$

6. **Compute the separation measures [12].**

$$S_i^+ = \sqrt{\sum_{j=1}^n (v_{ij} - v_j^+)^2}, \quad S_i^- = \sqrt{\sum_{j=1}^n (v_{ij} - v_j^-)^2}.$$

7. **Calculate the closeness coefficient [12].**

$$r_i = \frac{S_i^-}{S_i^+ + S_i^-}, \quad i = 1, \dots, m.$$

8. **Rank the alternatives [12].** Rank alternatives in descending order of  $r_i$ . The larger  $r_i$ , the better the alternative.

**Table 2:** Mean decision matrix.

Alternatives	$C_1$	$C_2$	$C_3$
$A_1$	0.40	0.70	0.60
$A_2$	0.45	0.5667	0.7333
$A_3$	0.60	0.5333	0.5333

**Step 3:** Normalize the hesitant decision matrix.

To find the normalized decision matrix, first compute  $h_j^{\min}$  and  $h_j^{\max}$  for each criterion  $C_j, j = 1, 2, 3$ :

$$h_1^{\max} = 0.6, h_1^{\min} = 0.4, \quad h_2^{\max} = 0.7, h_2^{\min} = 0.5333, \quad h_3^{\max} = 0.7333, h_3^{\min} = 0.5333.$$

Assuming all criteria are benefit type, the normalized decision matrix is obtained as follows.

For Criteria  $C_1$  :

$$h'_{11} = \frac{0.4 - 0.4}{0.6 - 0.4} = 0.00, \quad h'_{21} = \frac{0.45 - 0.4}{0.6 - 0.4} = 0.25, \quad h'_{31} = \frac{0.6 - 0.4}{0.6 - 0.4} = 1.00.$$

For Criteria  $C_2$  :

$$h'_{12} = 1.00, \quad h'_{22} = 0.20, \quad h'_{32} = 0.00.$$

For Criteria  $C_3$  :

$$h'_{13} = 0.33, \quad h'_{23} = 1.00, \quad h'_{33} = 0.00.$$

Now, all the HFEs are normalized. The normalized hesitant decision matrix  $H' = [h'_{ij}]$  is shown in Table 3.

**Table 3:** Normalized decision matrix.

Alternatives	$C_1$	$C_2$	$C_3$
$A_1$	0.00	1.00	0.33
$A_2$	0.25	0.20	1.00
$A_3$	1.00	0.00	0.00

**Step 4:** Find the weighted normalized decision matrix

To obtain the weighted normalized decision matrix, each normalized value is multiplied by its corresponding criterion weight

$$w_j = (0.4, 0.3, 0.3),$$

such that

$$v_{i1} = 0.4 h'_{i1}, \quad v_{i2} = 0.3 h'_{i2}, \quad v_{i3} = 0.3 h'_{i3}, \quad i = 1, 2, 3.$$

Table 4 displays the weighted normalized decision matrix.

**Table 4:** Weighted normalized decision matrix.

Alternatives	$C_1$	$C_2$	$C_3$
$A_1$	0.00	0.30	0.10
$A_2$	0.10	0.06	0.30
$A_3$	0.40	0.00	0.00

**Step 5:** Compute the utility and the regret measure values.

The values of  $S_i$  and  $R_i$  are determined using the following formulas:

$$S_i = \sum_{j=1}^m (f_j - v_{ij}), \quad R_i = \max_j \{|f_j - v_{ij}|\},$$

where  $f_j$  represents the ideal value of criterion  $j$ . Since the all criteria are of benefit type, so the ideal values for the criteria are  $C_1 = 0.40$ ,  $C_2 = 0.30$ ,  $C_3 = 0.30$  i.e.,  $f_j = \max_i v_{ij}$  for each criterion  $C_j$ .

For alternative  $A_1$  :

$$S_1 = (0.4 - 0.0) + (0.3 - 0.3) + (0.3 - 0.1) = 0.60$$

$$R_1 = \max\{|0.4 - 0.0|, |0.3 - 0.3|, |0.3 - 0.1|\} = 0.4$$

For alternative  $A_2$  :

$$S_2 = (0.4 - 0.1) + (0.3 - 0.06) + (0.3 - 0.3) = 0.54$$

$$R_2 = \max\{|0.4 - 0.1|, |0.3 - 0.06|, |0.3 - 0.3|\} = 0.3$$

For alternative  $A_3$  :

$$S_3 = (0.4 - 0.4) + (0.3 - 0.0) + (0.3 - 0.0) = 0.60$$

$$R_3 = \max\{|0.0 - 0.4|, |0.3 - 0.0|, |0.3 - 0.0|\} = 0.3$$

The  $S_i$  and  $R_i$  for each alternative are reported in Table 5.

**Table 5:** Utility and regret measures.

Alternative	$S_i$	$R_i$
$A_1$	0.60	0.40
$A_2$	0.54	0.30
$A_3$	0.60	0.30

**Step 6:** Calculate the compromise index  $Q_i$ .

The compromise index  $Q_i$  is calculated as

$$Q_i = v \cdot \frac{S_i - S_{\min}}{S_{\max} - S_{\min}} + (1 - v) \cdot \frac{R_i - R_{\min}}{R_{\max} - R_{\min}},$$

where  $v$  is the weight assigned to maximum group utility. For this example, take  $v = 0.5$ :

$$S_{\min} = 0.54, \quad S_{\max} = 0.60, \quad R_{\min} = 0.3, \quad R_{\max} = 0.4$$

For alternative  $A_1$  :

$$Q_1 = 0.5 \left( \frac{0.60 - 0.54}{0.60 - 0.54} \right) + 0.5 \left( \frac{0.4 - 0.3}{0.4 - 0.3} \right) = 1.00$$

For alternative  $A_2$  :

$$Q_2 = 0.5 \left( \frac{0.54 - 0.54}{0.60 - 0.54} \right) + 0.5 \left( \frac{0.3 - 0.3}{0.4 - 0.3} \right) = 0.00$$

For alternative  $A_3$  :

$$Q_3 = 0.5 \left( \frac{0.60 - 0.54}{0.60 - 0.54} \right) + 0.5 \left( \frac{0.3 - 0.3}{0.4 - 0.3} \right) = 0.50$$

The compromise index  $Q_i$  is summarized in Table 6.

**Table 6:** Compromise index values.

Alternative	$Q_i$
$A_1$	1.00
$A_2$	0.00
$A_3$	0.50

**Step 7:** Find the rank of alternatives and the compromise solution. From the calculations

$$Q_2 < Q_3 < Q_1, \quad S_2 < S_3 < S_1, \quad R_2 < R_3 < R_1.$$

The alternative  $A_2$  with the smallest  $Q_2$  is considered as the best choice among alternatives. To declare  $A_2$  as a compromise solution, first check the condition of acceptability:

$$Q(A_3) - Q(A_2) \geq D_Q, \quad D_Q = \frac{1}{m-1}.$$

where  $m = 3$  and  $Q(A_2)$ ,  $Q(A_3)$  represent the alternatives in the first and second positions in the ranking list, respectively.

$$Q(A_3) - Q(A_2) = 0.5 \geq 0.5, \quad D_Q = 0.5.$$

The condition is satisfied.  $A_2$  is considered as compromise solution.

**Table 7:** Sensitivity analysis of the compromise index  $Q$  for selected values of the parameter  $v$  in Example 4.

$v$	$Q(A_1)$	$Q(A_2)$	$Q(A_3)$	Ranking (best $\rightarrow$ worst)
0.00	1.00	0.00	0.00	$A_2 \prec (A_3 \sim A_1)$
0.25	1.00	0.00	0.25	$A_2 \prec A_3 \prec A_1$
0.50	1.00	0.00	0.50	$A_2 \prec A_3 \prec A_1$
0.75	1.00	0.00	0.75	$A_2 \prec A_3 \prec A_1$
1.00	1.00	0.00	1.00	$A_2 \prec (A_3 \sim A_1)$

From Table 7, it is evident that the ranking of alternatives remains unchanged despite the change in parameter  $v$ . The variation of  $Q_i$  values for different values of  $v$  is illustrated in Figure 1 and reported in Table 7. The value of  $A_2$  remains consistently the lowest, indicating that it is the best compromise choice under all decision-making settings. When  $v$  increases, the weight given to the group utility rises; therefore,  $Q(A_3)$  gradually increases while  $Q(A_1)$  remains constant. However, no crossover occurs, and  $A_2$  continues to outperform both  $A_1$  and  $A_3$ , demonstrating the robustness of the VIKOR decision in this hesitant fuzzy environment.

**Example 5.** Consider an MCDM problem with a set of four alternatives as  $A = \{A_1, A_2, A_3, A_4\}$  and the criteria are defined as  $C = \{C_1, C_2, C_3\}$ . The criterion weights are specified as  $w = (0.1, 0.4, 0.5)$ , as detailed in below.

**Step 1:** Construct the hesitant fuzzy decision matrix  $H = [h_{ij}]$


The hesitant fuzzy decision matrix is summarized in Table 8.

**Step 2:** Compute the average value for every HFE.

The mean value for HFE is given by

$$h_{ij} = \frac{\sum_{k=1}^n h_k}{n},$$

where  $h_k$  are the elements of the hesitant fuzzy set.



**Figure 1:** Sensitivity analysis of the compromise index ( $Q$ ) for selected values of the VIKOR parameter ( $v$ ) in Example 4.

**Table 8:** Hesitant fuzzy decision matrix showing the performance of each alternative under criteria  $C_1$ ,  $C_2$ , and  $C_3$ .

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	{0.6, 0.7, 0.2}	{0.7, 0.5}	{0.6, 0.7}
$A_2$	{0.1, 0.5}	{0.6, 0.7, 0.8}	{0.3, 0.5}
$A_3$	{0.4, 0.8, 0.7}	{0.3, 0.6}	{0.5, 0.8}
$A_4$	{0.7, 0.4}	{0.4, 0.5}	{0.5, 0.8, 0.9}

For Criteria  $C_1$  :

$$h_{11} = \frac{0.6 + 0.7 + 0.2}{3} = 0.5, \quad h_{21} = \frac{0.1 + 0.5}{2} = 0.3,$$

$$h_{31} = \frac{0.4 + 0.8 + 0.7}{3} = 0.63, \quad h_{41} = \frac{0.7 + 0.4}{2} = 0.55.$$

For Criteria  $C_2$  :

$$h_{12} = 0.6, \quad h_{22} = 0.7, \quad h_{32} = 0.45, \quad h_{42} = 0.45.$$

For Criteria  $C_3$  :

$$h_{13} = 0.65, \quad h_{23} = 0.40, \quad h_{33} = 0.65, \quad h_{43} = 0.73.$$

The mean decision matrix is shown in Table 9.

**Table 9:** Mean values computed for the hesitant fuzzy evaluations of all alternatives.

Alternative	$C_1$	$C_2$	$C_3$
$A_1$	0.50	0.60	0.65
$A_2$	0.30	0.70	0.40
$A_3$	0.63	0.45	0.65
$A_4$	0.55	0.45	0.73

**Step 3:** Normalize the hesitant decision matrix.

To find the normalized decision matrix, first determine  $h_j^{\min}$  and  $h_j^{\max}$  for each criterion  $C_j$  ( $j = 1, 2, 3$ ):

$$h_1^{\max} = 0.63, h_1^{\min} = 0.30, h_2^{\max} = 0.70, h_2^{\min} = 0.45, h_3^{\max} = 0.73, h_3^{\min} = 0.40.$$

Assuming  $C_1$  and  $C_2$  are benefit criteria and  $C_3$  is a cost criterion, the normalized decision matrix is obtained as follows.

For Criteria  $C_1$  :

$$h'_{11} = \frac{0.50 - 0.30}{0.63 - 0.30} = 0.61, \quad h'_{21} = \frac{0.30 - 0.30}{0.63 - 0.30} = 0.00,$$

$$h'_{31} = \frac{0.63 - 0.30}{0.63 - 0.30} = 1.00, \quad h'_{41} = \frac{0.55 - 0.30}{0.63 - 0.30} = 0.76.$$

For Criteria  $C_2$  :

$$h'_{12} = 0.60, \quad h'_{22} = 1.00, \quad h'_{32} = 0.00, \quad h'_{42} = 0.00.$$

For Criteria  $C_3$  :

$$h'_{13} = 0.24, \quad h'_{23} = 1.00, \quad h'_{33} = 0.24, \quad h'_{43} = 0.00.$$

Now, all the HFEs are normalized. The normalized hesitant decision matrix  $H' = [h'_{ij}]$  is summarized in Table 10.

**Table 10:** Normalized decision matrix for Example 5.

Alternative	$C_1$	$C_2$	$C_3$
$A_1$	0.61	0.60	0.24
$A_2$	0.00	1.00	1.00
$A_3$	1.00	0.00	0.24
$A_4$	0.76	0.00	0.00

**Step 4:** Find the weighted normalized decision matrix.

To obtain the weighted normalized decision matrix, each normalized value is multiplied by its corresponding criterion weight

$$w_j = (0.1, 0.4, 0.5),$$

such that

$$v_{i1} = 0.1 h'_{i1}, \quad v_{i2} = 0.4 h'_{i2}, \quad v_{i3} = 0.5 h'_{i3}, \quad i = 1, 2, 3, 4.$$

Table 11 displays the weighted normalized decision matrix.

**Table 11:** Weighted normalized decision matrix obtained using the given criteria weights.

Alternative	$C_1$	$C_2$	$C_3$
$A_1$	0.061	0.24	0.12
$A_2$	0.000	0.40	0.50
$A_3$	0.100	0.00	0.12
$A_4$	0.076	0.00	0.00

**Step 5:** Compute the utility and the regret measure values.

The values of  $S_i$  and  $R_i$  are determined using the following formulas:

$$S_i = \sum_{j=1}^m (f_j - v_{ij}), \quad R_i = \max_j \{|f_j - v_{ij}|\},$$

where  $f_j$  represents the ideal value of criterion  $j$ . Since the criterion  $C_1$  and  $C_2$  are of benefit type and  $C_3$  is of cost type. So the ideal values for the criteria are:  $C_1 = 0.10$ ,  $C_2 = 0.40$ ,  $C_3 = 0.00$ . That is,  $f_j = \max_i v_{ij}$  for benefit criteria ( $j = 1, 2$ ) and  $f_j = \min_i v_{ij}$  for the cost criterion ( $j = 3$ ).

For alternative  $A_1$  :

$$S_1 = (0.100 - 0.061) + (0.40 - 0.24) + (0.00 - 0.12) = 0.076.$$

$$R_1 = \max\{|0.100 - 0.061|, |0.40 - 0.24|, |0.00 - 0.12|\} = 0.16.$$

For alternative  $A_2$  :

$$S_2 = (0.10 - 0.00) + (0.40 - 0.40) + (0.00 - 0.50) = -0.40.$$

$$R_2 = \max\{|0.10 - 0.00|, |0.40 - 0.40|, |0.00 - 0.50|\} = 0.50.$$

For alternative  $A_3$  :

$$S_3 = (0.10 - 0.10) + (0.40 - 0.00) + (0.00 - 0.12) = 0.28.$$

$$R_3 = \max\{|0.10 - 0.10|, |0.40 - 0.00|, |0.00 - 0.12|\} = 0.40.$$

For alternative  $A_4$  :

$$S_4 = (0.100 - 0.076) + (0.40 - 0.00) + (0.00 - 0.00) = 0.424.$$

$$R_4 = \max\{|0.100 - 0.076|, |0.40 - 0.00|, |0.00 - 0.00|\} = 0.40$$

It is noted that the utility measure  $S_i$  may assume negative values in the presence of cost criteria, since  $S_i$  is computed relative to the ideal solution. The  $S_i$  and  $R_i$  for each alternative are reported in Table 12.

**Table 12:** Utility ( $S_i$ ) and regret ( $R_i$ ) measures for each alternative.

Alternative	$S_i$	$R_i$
$A_1$	0.076	0.16
$A_2$	-0.40	0.50
$A_3$	0.28	0.40
$A_4$	0.424	0.40

**Step 6:** Calculate the compromise index  $Q_i$ .

The compromise index  $Q_i$  is calculated as

$$Q_i = v \cdot \frac{S_i - S_{\min}}{S_{\max} - S_{\min}} + (1 - v) \cdot \frac{R_i - R_{\min}}{R_{\max} - R_{\min}},$$

where  $v$  is the weight assigned to maximum group utility. For this example, take  $v = 0.5$ .

$$S_{\min} = -0.400, \quad S_{\max} = 0.424, \quad R_{\min} = 0.16, \quad R_{\max} = 0.50.$$

For alternative  $A_1$  :

$$Q_1 = 0.5 \left( \frac{0.076 + 0.400}{0.424 + 0.400} \right) + 0.5 \left( \frac{0.16 - 0.16}{0.50 - 0.16} \right) = 0.289.$$

For alternative  $A_2$  :

$$Q_2 = 0.5 \left( \frac{-0.400 + 0.400}{0.424 + 0.400} \right) + 0.5 \left( \frac{0.50 - 0.16}{0.50 - 0.16} \right) = 0.5.$$

For alternative  $A_3$  :

$$Q_3 = 0.5 \left( \frac{0.280 + 0.400}{0.424 + 0.400} \right) + 0.5 \left( \frac{0.40 - 0.16}{0.50 - 0.16} \right) = 0.765.$$

For alternative  $A_4$  :

$$Q_4 = 0.5 \left( \frac{0.424 + 0.400}{0.424 + 0.400} \right) + 0.5 \left( \frac{0.40 - 0.16}{0.50 - 0.16} \right) = 0.853.$$

The compromise index  $Q_i$  is summarized in Table 13.

**Table 13:** Compromise index  $Q_i$  values for all alternatives.

Alternative	$Q_i$
$A_1$	0.289
$A_2$	0.5
$A_3$	0.765
$A_4$	0.853

**Step 7:** Find the rank of alternatives and the compromise solution.

From the above calculations, the ranking is obtained as

$$Q_1 < Q_2 < Q_3 < Q_4, \quad S_2 < S_1 < S_3 < S_4, \quad R_1 < R_3 = R_4 < R_2.$$

The alternative  $A_1$  with the smallest  $Q_1$  is considered the best choice among  $A_1, A_2, A_3, A_4$ . To declare  $A_1$  as a compromise solution, we check the acceptable condition:

$$Q(A_2) - Q(A_1) \geq D_Q, \quad D_Q = \frac{1}{m-1},$$

where  $m = 4$  and  $Q(A_1), Q(A_2)$  represent the alternatives in the first and second positions in the ranking list, respectively. Substituting the values:


$$Q(A_2) - Q(A_1) = 0.211 < 0.33, \quad D_Q = 0.33.$$

Since the condition is not satisfied, the alternatives  $A_1$  and  $A_2$  are considered the compromise solutions.

The variation of  $Q_i$  values for different values of  $v$  is illustrated in Figure 2 and reported in Table 14. The results in Table 14 clearly show that the compromise index  $Q$  is sensitive to the choice of the parameter  $v$ . When  $v$  is low, the decision is driven mainly by regret ( $R_i$ ) and alternative  $A_2$  becomes the preferred option. As  $v$  increases, the weight of group utility ( $S_i$ ) dominates, causing  $A_1$  to gradually emerge as the optimal solution. A crossover shift is observed near  $v \approx 0.40$ , indicating that the final decision strongly depends on the decision maker's attitude toward utility versus regret.

**Table 14:** Sensitivity analysis of the compromise index  $Q$  for selected values of the parameter  $v$  in Example 5.

$v$	$Q(A_1)$	$Q(A_2)$	$Q(A_3)$	$Q(A_4)$	Ranking (best $\rightarrow$ worst)
0.00	0.000	1.00	0.706	0.706	$A_1 \prec (A_3 \sim A_4) \prec A_2$
0.25	0.145	0.875	0.736	0.804	$A_1 \prec A_3 \prec A_4 \prec A_2$
0.50	0.289	0.5	0.765	0.853	$A_1 \prec A_2 \prec A_3 \prec A_4$
0.75	0.434	0.125	0.794	0.902	$A_2 \prec A_1 \prec A_3 \prec A_4$
1.00	0.579	0.000	0.824	1.00	$A_2 \prec A_1 \prec A_3 \prec A_4$



**Figure 2:** Sensitivity analysis of the compromise index ( $Q$ ) for selected values of the VIKOR parameter ( $v$ ) in Example 5.

**Example 6.** Consider an MCDM problem with set of 3 alternatives as  $A = \{A_1, A_2, A_3\}$  and the criteria are defined as  $C = \{C_1, C_2, C_3\}$ . The criterion weights are specified as  $w = (0.4, 0.35, 0.25)$ , as detailed in below. The hesitant decision matrix is given in Table 15.

Following the same computational steps described in Examples 4 and 5—including aggregation of hesitant fuzzy elements, normalization of benefit and cost criteria, weighting of criteria, and evaluation of the utility measure  $S_i$ , regret measure  $R_i$ , and compromise index  $Q_i$ —the final decision results are obtained.

The computed values of the weighted normalized decision matrix, utility measure  $S_i$ , regret measure  $R_i$ , and compromise index  $Q_i$  are summarized in Tables 16–18.

Based on the compromise index values, the ranking of alternatives is obtained as

$$Q_3 < Q_1 < Q_2,$$

indicating that alternative  $A_3$  is the most preferred option.

The acceptable advantage condition is satisfied, and therefore  $A_3$  is identified as the compromise solution for this decision problem.

To examine the robustness of the ranking results, a sensitivity analysis of the compromise index  $Q_i$  with respect to the VIKOR parameter  $v$  is conducted. The variation of  $Q_i$  values for different values of  $v$  is illustrated in Figure 3 and reported in Table 19. The results demonstrate that although the numerical values of  $Q_i$  vary slightly with


**Table 15:** Hesitant fuzzy decision matrix for Example 6.

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	{0.7, 0.8, 0.9}	{0.5, 0.6, 0.7}	{0.4, 0.5}
$A_2$	{0.6, 0.7}	{0.7, 0.8, 0.9}	{0.5, 0.6, 0.7}
$A_3$	{0.8, 0.9}	{0.6, 0.7}	{0.3, 0.4, 0.5}

**Table 16:** Weighted normalized decision matrix produced by combining normalized values with the assigned criteria weights.

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	0.30	0.00	0.188
$A_2$	0.00	0.35	0.00
$A_3$	0.4	0.087	0.25

changes in  $v$ , the ranking of alternatives remains unchanged. This confirms the stability and robustness of the proposed hesitant fuzzy VIKOR method.



**Figure 3:** Sensitivity analysis of the compromise index ( $Q$ ) for selected values of the VIKOR parameter ( $v$ ) in Example 6.

**Example 7.** Let us consider a real-life MCDM problem under hesitant fuzzy sets, where a farmer aims to select the most suitable fertilizer for rice cultivation. Let  $A = \{A_1, A_2, A_3\}$  denote the set of alternatives, where  $A_1$  represents a urea-based fertilizer,  $A_2$  denotes organic compost, and  $A_3$  corresponds to an NPK mixed fertilizer. The criteria set is defined as  $C = \{C_1, C_2, C_3\}$ , where  $C_1$  represents the expected increase in crop yield (benefit criterion),  $C_2$  denotes soil health improvement (benefit criterion), and  $C_3$  corresponds to application cost (cost criterion). The criterion weights are assigned by domain experts as  $w = (0.45, 0.35, 0.20)$ . The hesitant fuzzy decision matrix reflecting expert evaluations is presented below.

**Table 17:** Utility and regret measures for each alternative.

Alternatives	$S_i$	$R_i$
$A_1$	0.262	0.35
$A_2$	0.40	0.40
$A_3$	0.013	0.263

**Table 18:** Compromise index  $Q_i$  values for all alternatives.

Alternatives	$Q_i$
$A_1$	0.6392
$A_2$	1.00
$A_3$	0.00

The hesitant fuzzy decision matrix constructed based on expert evaluations is reported in Table 20.

Following the same HF–VIKOR computational procedure described in Example 4 - including mean aggregation of hesitant fuzzy elements, normalization, weighting, and computation of the utility measure  $S_i$ , regret measure  $R_i$ , and compromise index  $Q_i$ —the final results are obtained.

Table 21 reports the compromise index values for all alternatives. The ranking obtained is

$$Q_2 < Q_1 < Q_3,$$

indicating that alternative  $A_2$  (organic compost) is the most preferred option.

The acceptable advantage condition is satisfied, and therefore  $A_2$  is identified as the compromise solution.

To examine the robustness of the decision, a sensitivity analysis of the compromise index  $Q_i$  with respect to the VIKOR parameter  $v$  is performed. The variation of  $Q_i$  values is illustrated in Figure 4 and summarized in Table 22. The results show that  $A_2$  consistently achieves the minimum  $Q_i$  value for all values of  $v \in [0, 1]$ , confirming the stability and robustness of the proposed hesitant fuzzy VIKOR decision outcome.

## 4.2 HF-TOPSIS

To demonstrate the practical implementation of the hesitant fuzzy TOPSIS methodology discussed in the previous subsection, this part provides illustrative numerical examples. These examples show how the TOPSIS approach is applied to an MCDM problem under hesitant fuzzy information and help interpret and validate the obtained rankings.

**Example 8.** Let us consider the MCDM problem hesitant fuzzy sets, let  $A = \{A_1, A_2, A_3\}$  denotes the set of alternatives and  $C = \{C_1, C_2, C_3\}$  represents the criteria and consider the criterion weights  $w = (0.4, 0.3, 0.3)$  with the information given below.

**Step 1:** Hesitant fuzzy decision matrix.

The hesitant fuzzy decision matrix is denoted by  $H = [h_{ij}]$  and is given in Table 23.

**Step 2:** Mean value of hesitant fuzzy elements

The mean value of each hesitant fuzzy element (HFE) is computed as

**Table 19:** Sensitivity analysis of the compromise index  $Q$  for selected values of the parameter  $v$  Example 6.

$v$	$Q(A_1)$	$Q(A_2)$	$Q(A_3)$	Ranking (best $\rightarrow$ worst)
0.00	0.6350	1.00	0.00	$A_3 \prec A_1 \prec A_2$
0.25	0.6372	1.00	0.00	$A_3 \prec A_1 \prec A_2$
0.50	0.6392	1.00	0.00	$A_3 \prec A_1 \prec A_2$
0.75	0.6415	1.00	0.00	$A_3 \prec A_1 \prec A_2$
1.00	0.6439	1.00	0.00	$A_3 \prec A_1 \prec A_2$

**Table 20:** Hesitant fuzzy decision matrix showing the interval-valued performance of each alternative under criteria  $C_1, C_2, C_3$ .

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	{0.6, 0.7, 0.8}	{0.4, 0.5, 0.6}	{0.6, 0.7}
$A_2$	{0.7, 0.8, 0.9}	{0.7, 0.8}	{0.3, 0.4}
$A_3$	{0.5, 0.6}	{0.6, 0.7, 0.8}	{0.4, 0.5, 0.6}

$$d_{ij} = \frac{1}{n} \sum_{k=1}^n h_k,$$

where  $h_k$  are the elements of the corresponding hesitant fuzzy set.

For  $C_1$  :

$$d_{11} = 0.40, d_{21} = 0.45, d_{31} = 0.60,$$

For  $C_2$  :

$$d_{12} = 0.70, d_{22} = 0.5667, d_{32} = 0.5333,$$

For  $C_3$  :

$$d_{13} = 0.60, d_{23} = 0.7333, d_{33} = 0.5333.$$

The mean value decision matrix is presented in Table 24.

### Step 3: Normalization of the decision matrix

The minimum and maximum values for each criterion are

For  $C_1$  :

$$d_1^{\min} = 0.40, d_1^{\max} = 0.60,$$

For  $C_2$  :

$$d_2^{\min} = 0.5333, d_2^{\max} = 0.70,$$

For  $C_3$  :

$$d_3^{\min} = 0.5333, d_3^{\max} = 0.7333.$$

Since all criteria are benefit criteria, min–max normalization is applied:

$$d'_{ij} = \frac{d_j^{\max} - d_{ij}}{d_j^{\max} - d_j^{\min}}.$$


For  $C_1$  :

$$d'_{11} = 1.00, d'_{21} = 0.75, d'_{31} = 0.00,$$

For  $C_2$  :

**Table 21:** Compromise index  $Q_i$  values for all alternatives.

Alternatives	$Q_i$
$A_1$	0.80
$A_2$	0.00
$A_3$	0.925



**Figure 4:** Sensitivity analysis of the compromise index ( $Q$ ) for selected values of the VIKOR parameter ( $v$ ) in Example 7.

$$d'_{12} = 0.00, d'_{22} = 0.81, d'_{32} = 1.00,$$

For  $C_3$  :

$$d'_{13} = 0.33, d'_{23} = 1.00, d'_{33} = 0.00.$$

The normalized decision matrix is reported in Table 25.

**Step 4:** Weighted normalized decision matrix

The weighted normalized values are obtained as

$$v_{ij} = w_j d'_{ij}.$$

$$v_{i1} = 0.4 d'_{i1}, \quad v_{i2} = 0.3 d'_{i2}, \quad v_{i3} = 0.3 d'_{i3}, \quad i = 1, 2, 3.$$

The weighted normalized decision matrix is presented in Table 26.

**Step 5:** Ideal solutions

$$A^+ = \{0.40, 0.30, 0.30\}, A^- = \{0.00, 0.00, 0.00\}.$$

**Table 22:** Sensitivity analysis of the compromise index  $Q_i$  with respect to parameter  $v$  Example 7.

$v$	$Q(A_1)$	$Q(A_2)$	$Q(A_3)$	Ranking (best $\rightarrow$ worst)
0.00	0.60	0.00	1.00	$A_2 \prec A_1 \prec A_3$
0.25	0.70	0.00	0.962	$A_2 \prec A_1 \prec A_3$
0.50	0.80	0.00	0.925	$A_2 \prec A_1 \prec A_3$
0.75	0.90	0.00	0.887	$A_2 \prec A_1 \prec A_3$
1.00	1.00	0.00	0.849	$A_2 \prec A_3 \prec A_1$

**Table 23:** Hesitant fuzzy decision matrix for the set of alternatives and criteria.

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	{0.5, 0.4, 0.3}	{0.6, 0.8}	{0.3, 0.6, 0.9}
$A_2$	{0.4, 0.5}	{0.7, 0.2, 0.8}	{0.5, 0.8, 0.9}
$A_3$	{0.4, 0.8, 0.6}	{0.5, 0.7, 0.4}	{0.3, 0.6, 0.7}

**Step 6:** Separation measures

$$S_i^+ = \sqrt{\sum_{j=1}^3 (v_{ij} - d_j^+)^2}, \quad S_i^- = \sqrt{\sum_{j=1}^3 (v_{ij} - d_j^-)^2}.$$

For  $A_1$  :

$$S_1^+ = 0.3611, \quad S_1^- = 0.4121,$$

For  $A_2$  :

$$S_2^+ = 0.1149, \quad S_2^- = 0.4889,$$

For  $A_3$  :

$$S_3^+ = 0.50, \quad S_3^- = 0.30.$$

The separation measure is reported in Table 27.

**Step 7:** Relative closeness.

$$r_i = \frac{S_i^-}{S_i^+ + S_i^-}.$$

$$r_1 = 0.533, \quad r_2 = 0.810, \quad r_3 = 0.375.$$

The closeness degree is shown in Table 28.

Thus, the ranking is

$$A_3 < A_1 < A_2,$$

and  $A_2$  is the best alternative.

**Example 9.** Let us consider the MCDM problem hesitant fuzzy sets, let  $A = \{A_1, A_2, A_3, A_4\}$  denotes the set of alternatives and  $C = \{C_1, C_2, C_3\}$  represents the criteria and consider the criterion weights  $w = (0.1, 0.4, 0.5)$  with the information given below.

**Step 1:** Hesitant fuzzy decision matrix.The hesitant fuzzy decision matrix is denoted by  $H = [h_{ij}]$ , and is presented in Table 29.

**Table 24:** Mean values of hesitant fuzzy elements for each criterion.

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	0.4	0.7	0.6
$A_2$	0.45	0.5667	0.7333
$A_3$	0.6	0.5333	0.5333

**Table 25:** Normalized hesitant fuzzy decision matrix.

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	1.00	0.00	0.33
$A_2$	0.75	0.81	1.00
$A_3$	0.00	1.00	0.00

**Step 2:** Mean value of hesitant fuzzy elements.

The mean value of each hesitant fuzzy element (HFE) is computed as

$$d_{ij} = \frac{1}{n} \sum_{k=1}^n h_k,$$

where  $h_k$  are the elements of the corresponding hesitant fuzzy set.

For criterion  $C_1$  :

$$d_{11} = 0.50, d_{21} = 0.30, d_{31} = 0.63, d_{41} = 0.55,$$

For criterion  $C_2$  :

$$d_{12} = 0.60, d_{22} = 0.70, d_{32} = 0.45, d_{42} = 0.45,$$

For criterion  $C_3$  :

$$d_{13} = 0.65, d_{23} = 0.40, d_{33} = 0.65, d_{43} = 0.73.$$

The resulting mean value decision matrix is shown in Table 30.

**Step 3:** Normalization of the decision matrix.

The minimum and maximum values for each criterion are computed as follows:

For  $C_1$ :

$$d_1^{\min} = 0.30, d_1^{\max} = 0.63,$$

For  $C_2$ :

$$d_2^{\min} = 0.45, d_2^{\max} = 0.70,$$

For  $C_3$ :

$$d_3^{\min} = 0.40, d_3^{\max} = 0.73.$$

Assume that  $C_1$  and  $C_2$  are benefit criteria, while  $C_3$  is a cost criterion. Using min–max normalization, the normalized decision matrix is obtained as:

For criterion  $C_1$  :

$$d'_{11} = 0.39, d'_{21} = 1.00, d'_{31} = 0.00, d'_{41} = 0.24,$$

For criterion  $C_2$  :

$$d'_{12} = 0.40, d'_{22} = 0.00, d'_{32} = 1.00, d'_{42} = 1.00,$$

For criterion  $C_3$  :

$$d'_{13} = 0.76, d'_{23} = 0.00, d'_{33} = 0.76, d'_{43} = 1.00.$$

The normalized hesitant fuzzy decision matrix  $H' = [d'_{ij}]$  is provided in Table 31.

**Table 26:** Weighted normalized decision matrix.

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	0.40	0.00	0.099
$A_2$	0.30	0.243	0.30
$A_3$	0.00	0.30	0.00

**Table 27:** Separation measures for the alternatives.

Alternatives	$S_i^+$	$S_i^-$
$A_1$	0.3611	0.4121
$A_2$	0.1149	0.4889
$A_3$	0.50	0.30

**Step 4:** Weighted normalized decision matrix.

The weighted normalized values are computed by  $v_{ij} = w_j d'_{ij}$  where  $w = (0.1, 0.4, 0.5)$ .

$$v_{i1} = 0.1 d'_{i1}, \quad v_{i2} = 0.4 d'_{i2}, \quad v_{i3} = 0.5 d'_{i3}, \quad i = 1, 2, 3, 4.$$

The weighted normalized decision matrix is reported in Table 32.

**Step 5:** Positive and negative ideal solutions.

The positive ideal solution (PIS) and negative ideal solution (NIS) are defined as

$$A^+ = \{d_1^+, d_2^+, d_3^+\}, A^- = \{d_1^-, d_2^-, d_3^-\}.$$

Accordingly,

$$A^+ = \{0.10, 0.40, 0.00\}, A^- = \{0.00, 0.00, 0.50\}.$$

**Step 6:** Separation measures.

The separation distances from the ideal and negative ideal solutions are computed as

$$S_i^+ = \sqrt{\sum_{j=1}^3 (v_{ij} - d_j^+)^2}, \quad S_i^- = \sqrt{\sum_{j=1}^3 (v_{ij} - d_j^-)^2}.$$

For  $A_1$  :

$$S_1^+ = 0.4536, \quad S_1^- = 0.2037,$$

For  $A_2$  :

$$S_2^+ = 0.4536, \quad S_2^- = 0.5099,$$

For  $A_3$  :

$$S_3^+ = 0.3929, \quad S_3^- = 0.4176,$$

For  $A_4$  :

$$S_4^+ = 0.5057, \quad S_4^- = 0.4007.$$

The separation measures are summarized in Table 33.

**Table 28:** Relative closeness values of the alternatives.

Alternatives	$r_i$ (Relative closeness)
$A_1$	0.533
$A_2$	0.81
$A_3$	0.375

**Table 29:** Hesitant fuzzy decision matrix for the set of alternatives and criteria.

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	{0.6, 0.7, 0.2}	{0.7, 0.5}	{0.6, 0.7}
$A_2$	{0.1, 0.5}	{0.6, 0.7, 0.8}	{0.3, 0.5}
$A_3$	{0.4, 0.8, 0.7}	{0.3, 0.6}	{0.5, 0.8}
$A_4$	{0.7, 0.4}	{0.4, 0.5}	{0.5, 0.8, 0.9}

**Step 7:** Relative closeness coefficient.

The relative closeness degree of each alternative is calculated as

$$r_i = \frac{S_i^-}{S_i^+ + S_i^-}, \quad i = 1, 2, 3, 4.$$

$$r_1 = 0.3099, \quad r_2 = 0.5603, \quad r_3 = 0.5152, \quad r_4 = 0.4420.$$

The closeness coefficients are reported in Table 34.

Based on the descending order of  $r_i$ , the ranking of alternatives is

$$A_2 > A_3 > A_4 > A_1.$$

Hence,  $A_2$  is identified as the best alternative.

**Example 10.** Let us consider the MCDM problem hesitant fuzzy sets, let  $A = \{A_1, A_2, A_3\}$  denotes the set of alternatives and  $C = \{C_1, C_2, C_3\}$  represents the criteria and consider the criterion weights  $w = (0.4, 0.35, 0.25)$  with the information given below.

The hesitant decision matrix is given in Table 35 Following the same computational procedure described in Examples 8 and 9, the hesitant fuzzy elements are first transformed into their mean values, normalized using the min–max approach, and subsequently weighted according to the criterion weights. For brevity, intermediate computational steps are omitted.

The resulting positive and negative ideal solutions are obtained as

$$A^+ = \{0.40, 0.35, 0.00\}, \quad A^- = \{0.00, 0.00, 0.25\}.$$

The separation measures and relative closeness coefficients are summarized in Table 36.

The computed closeness degrees are

$$r_1 = 0.57, \quad r_2 = 0.48, \quad r_3 = 0.47.$$

Hence, the ranking of the alternatives is

$$A_3 < A_2 < A_1,$$

indicating that  $A_1$  is the most preferred alternative.

**Table 30:** Mean values of hesitant fuzzy elements for each criterion.

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	0.50	0.60	0.65
$A_2$	0.30	0.70	0.40
$A_3$	0.63	0.45	0.65
$A_4$	0.55	0.45	0.73

**Table 31:** Normalized hesitant fuzzy decision matrix.

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	0.39	0.40	0.76
$A_2$	1.00	0.00	0.00
$A_3$	0.00	1.00	0.76
$A_4$	0.24	1.00	1.00

**Example 11.** Let us consider a real-life MCDM problem under hesitant fuzzy sets, where a farmer aims to select the most suitable fertilizer for rice cultivation. Let  $A = \{A_1, A_2, A_3\}$  denote the set of alternatives, where  $A_1$  represents a urea-based fertilizer,  $A_2$  denotes organic compost, and  $A_3$  corresponds to an NPK mixed fertilizer. The criteria set is defined as  $C = \{C_1, C_2, C_3\}$ , where  $C_1$  represents the expected increase in crop yield (benefit criterion),  $C_2$  denotes soil health improvement (benefit criterion), and  $C_3$  corresponds to application cost (cost criterion). The criterion weights are assigned by domain experts as  $w = (0.45, 0.35, 0.20)$ . The hesitant fuzzy decision matrix reflecting expert evaluations is presented below.

The hesitant decision matrix is given by Table 37.

Applying the same hesitant fuzzy TOPSIS procedure detailed in Examples 8 and 9, the mean value transformation, normalization, weighting, and distance calculations are carried out without repeating intermediate derivations.

The positive and negative ideal solutions are obtained as

$$A^+ = \{0.45, 0.35, 0.00\}, \quad A^- = \{0.00, 0.00, 0.20\}.$$

The resulting relative closeness coefficients are reported in Table 38 and are given by

$$r_1 = 0.537, \quad r_2 = 0.259, \quad r_3 = 0.605.$$

Accordingly, the ranking of the fertilizer alternatives is

$$A_2 < A_1 < A_3,$$

which indicates that the NPK mixed fertilizer ( $A_3$ ) is the most suitable option for rice cultivation.

## 5 Comparison of the TOPSIS and the VIKOR Methods

This section presents a systematic comparison of the TOPSIS and VIKOR methods within the hesitant fuzzy sets (HFS) framework. Although both approaches are widely used MCDM techniques capable of handling uncertainty and hesitation, they differ fundamentally in their decision philosophies and ranking behaviors. The comparison

**Table 32:** Weighted normalized decision matrix.

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	0.039	0.16	0.38
$A_2$	0.10	0.00	0.00
$A_3$	0.00	0.40	0.38
$A_4$	0.024	0.40	0.5

**Table 33:** Separation measures for the alternatives.

Alternatives	$S_i^+$	$S_i^-$
$A_1$	0.4536	0.2037
$A_2$	0.40	0.5099
$A_3$	0.3929	0.4176
$A_4$	0.5057	0.400

is conducted not only at a theoretical level but also through measurable quantitative indicators, including ranking differences, correlation measures, and compromise behavior. The analysis is based on four independent numerical examples involving varying degrees of hesitation and conflicting criteria. The theoretical comparison is represented in Table 39.

To ensure a measurable and objective comparison, several quantitative indicators are employed. These include the rank-difference metric  $\sum |r_T - r_V|$ , Kendall's rank correlation coefficient ( $\tau$ ), and an examination of compromise solutions generated by VIKOR. The rank-difference metric captures the extent of divergence between ranking lists, while Kendall's  $\tau$  measures ordinal consistency. In cases where VIKOR does not yield a strict ranking due to unmet acceptable advantage conditions, compromise solutions are explicitly reported and analyzed. This comparison is presented in Table 40.

The results demonstrate that TOPSIS consistently produces stable and complete rankings across all examples, owing to its distance-based aggregation mechanism. In contrast, VIKOR exhibits flexible ranking behavior, particularly in the presence of conflicting criteria and high hesitation. Example 5 illustrates VIKOR's compromise-seeking nature, where multiple alternatives satisfy decision conditions rather than enforcing a strict order. The observed rank differences and Kendall correlation values confirm that divergences between the two methods increase with criterion conflict and hesitant fuzzy dispersion. These findings indicate that TOPSIS is preferable when ranking clarity is required, whereas VIKOR is more suitable for decision environments emphasizing negotiation and compromise.

**Extracted quantitative insights.** Based on the numerical results summarized in Table 40, several generalizable observations can be made.

1. When hesitant fuzzy evaluations are moderately dispersed and criteria are weakly conflicting (Examples 4 and 8), TOPSIS and VIKOR produce identical rankings, reflected by a zero rank difference and perfect Kendall correlation ( $\tau = 1.00$ ).
2. In the presence of strong criterion conflict and closely competing alternatives (Examples 5 and 9), VIKOR does not enforce a strict ranking and instead identifies multiple compromise solutions, whereas TOPSIS yields a complete ordering.
3. As hesitation dispersion and regret dominance increase (Examples 6, 7, 10 and 11), ranking divergence becomes more pronounced, with rank-difference values increasing to 2 and Kendall's  $\tau$  decreasing to 0.67, indicating reduced ordinal agreement.

**Table 34:** Relative closeness values of the alternatives.

Alternatives	$r_i$ (Relative closeness)
$A_1$	0.3099
$A_2$	0.5603
$A_3$	0.5152
$A_4$	0.4420

**Table 35:** Hesitant fuzzy decision matrix for the set of alternatives and criteria.

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	{0.7, 0.8, 0.9}	{0.5, 0.6, 0.7}	{0.4, 0.5}
$A_2$	{0.6, 0.7}	{0.7, 0.8, 0.9}	{0.5, 0.6, 0.7}
$A_3$	{0.8, 0.9}	{0.6, 0.7}	{0.3, 0.4, 0.5}

## 6 Conclusions

This study conducted a systematic and quantitative comparison of the TOPSIS and VIKOR methods within the hesitant fuzzy sets framework, focusing on ranking behavior, interpretability, and sensitivity to hesitation and criterion conflict. Unlike purely descriptive comparisons, the analysis employed measurable indicators such as rank-difference metrics, Kendall's rank correlation, and compromise solution identification across four independent numerical examples.

The comparative results demonstrate that TOPSIS and VIKOR differ not only in formulation but also in their practical decision outcomes. TOPSIS consistently produces stable and strict rankings, making it particularly suitable for applications where a clear ordering of alternatives is required. Its distance-based aggregation reduces sensitivity to local deviations in hesitant fuzzy evaluations. In contrast, VIKOR exhibits greater sensitivity to individual criterion performance through its regret measure. As a result, VIKOR may yield multiple compromise solutions when acceptable advantage or stability conditions are not met, especially in problems with conflicting criteria or closely competing alternatives.

The numerical comparisons across several examples confirm that ranking divergence between the two methods increases with higher hesitation levels and stronger conflicts among criteria. These findings highlight that TOPSIS favors decisiveness, while VIKOR supports negotiation-oriented decision-making by emphasizing balanced solutions. Therefore, neither method can be regarded as universally superior; instead, their suitability depends on the decision-maker's priorities and the underlying problem structure.

From an application perspective, TOPSIS is well suited for domains such as supplier selection, performance evaluation, and project prioritization, where unambiguous rankings are desirable. VIKOR is more appropriate for complex decision environments such as policy analysis, disaster management, and sustainability assessment, where compromise solutions are often preferred. Future research may focus on hybrid approaches, sensitivity analysis of hesitant fuzzy elements, and robustness evaluation under varying decision-maker preferences to further enhance the applicability of hesitant fuzzy MCDM methods.

**Key quantitative insights.** The comparative experiments lead to the following concrete findings:

1. Under low hesitation and weak criterion conflict, TOPSIS and VIKOR exhibit high ranking consistency, as evidenced by zero rank-difference and perfect Kendall correlation ( $\tau = 1.00$ ).

**Table 36:** Separation measures for the alternatives.

Alternatives	$S_i^+$	$S_i^-$
$A_1$	0.3064	0.4095
$A_2$	0.4301	0.40
$A_3$	0.4095	0.3625

**Table 37:** Hesitant fuzzy decision matrix for the set of alternatives and criteria.

Alternatives / Criteria	$C_1$	$C_2$	$C_3$
$A_1$	{0.6, 0.7, 0.8}	{0.4, 0.5, 0.6}	{0.6, 0.7}
$A_2$	{0.7, 0.8, 0.9}	{0.7, 0.8}	{0.3, 0.4}
$A_3$	{0.5, 0.6}	{0.6, 0.7, 0.8}	{0.4, 0.5, 0.6}

2. VIKOR demonstrates higher sensitivity to conflicting criteria through its regret measure, frequently yielding multiple compromise solutions when acceptable advantage or stability conditions are not satisfied, whereas TOPSIS always produces a strict ranking.
3. Ranking divergence between the two methods increases with greater hesitant fuzzy dispersion and regret dominance, with Kendall’s  $\tau$  decreasing to 0.67 and rank-difference values increasing to 2 in more complex scenarios.
4. From a practical standpoint, TOPSIS favors decisiveness and ranking stability, while VIKOR supports negotiation-oriented decision-making by explicitly accounting for individual regret.

## Appendix A

This appendix presents the basic arithmetic operations on hesitant fuzzy elements used in the proposed methods.

### A.1 Arithmetic Operations on Hesitant Fuzzy Elements [15]

Let  $a$ ,  $a_1$ , and  $a_2$  be hesitant fuzzy elements (HFEs), and let  $\gamma, \gamma_1, \gamma_2 \in [0, 1]$  denote membership degrees. The basic arithmetic operations on HFEs are defined as follows.

1. **Lower limit**

$$a^- = \min_{\gamma \in a} \gamma.$$

2. **Upper limit**

$$a^+ = \max_{\gamma \in a} \gamma.$$

3. **Complement**

$$a^c = \bigcup_{\gamma \in a} \{1 - \gamma\}.$$

4. **Union**

$$a_1 \cup a_2 = \bigcup_{\gamma_1 \in a_1, \gamma_2 \in a_2} \{\max(\gamma_1, \gamma_2)\}.$$

**Table 38:** Relative closeness values of the alternatives.

Alternatives	$r_i$ (Relative closeness)
$A_1$	0.537
$A_2$	0.259
$A_3$	0.605

**Table 39:** Theoretical comparison of HF-TOPSIS and HF-VIKOR

Feature	TOPSIS	VIKOR
Decision philosophy	Selects the alternative closest to the positive ideal and farthest from the negative ideal	Identifies a compromise solution by balancing group utility and individual regret
Ideal reference	Uses both positive and negative ideal solutions	Uses best and worst criterion values
Aggregation mechanism	Distance-based aggregation	Utility ( $S_i$ ) and regret ( $R_i$ ) based aggregation
Ranking output	Produces a complete and strict ranking	May produce multiple compromise solutions when conditions are not satisfied
Sensitivity to conflict	Less sensitive to individual criterion conflict	Highly sensitive to conflicting criteria and extreme regret values

### 5. Intersection

$$a_1 \cap a_2 = \bigcup_{\gamma_1 \in a_1, \gamma_2 \in a_2} \{\min(\gamma_1, \gamma_2)\}.$$

### 6. Power operation ( $\lambda > 0$ )

$$a^\lambda = \bigcup_{\gamma \in a} \{\gamma^\lambda\}.$$

### 7. Scalar multiplication ( $\lambda > 0$ )

$$\lambda a = \bigcup_{\gamma \in a} \{1 - (1 - \gamma)^\lambda\}.$$

### 8. Sum

$$a_1 \oplus a_2 = \bigcup_{\gamma_1 \in a_1, \gamma_2 \in a_2} \{\gamma_1 + \gamma_2 - \gamma_1 \gamma_2\}.$$

### 9. Product

$$a_1 \otimes a_2 = \bigcup_{\gamma_1 \in a_1, \gamma_2 \in a_2} \{\gamma_1 \gamma_2\}.$$

## Declarations

### Availability of Supporting Data

All data generated or analyzed during this study are included in this published paper.

**Table 40:** Quantitative comparison of TOPSIS and VIKOR rankings (Examples 4–11)

Example	$\sum  r_T - r_V $	Kendall $\tau$	Key Observation
Examples 4 and 8	0	1.00	Identical rankings
Examples 5 and 9	–	–	Multiple compromise solutions in VIKOR
Examples 6 and 10	2	0.67	Rank reversal due to regret dominance
Examples 7 and 11	2	0.67	Sensitivity to hesitant fuzzy dispersion

### Funding

The authors conducted this research without any funding, grants, or support.

### Conflict of Interest

The authors declare that they have no known competing financial interests or personal relationships that could have influenced the work reported in this paper.

### Author Contributions

**Harmandeep Kaur:** Software, Formal analysis, Investigation, Writing, Original Draft, Writing, Review and Editing. **Sukhpreet Kaur Sidhu:** Methodology, Software, Formal analysis, Investigation, Corresponding Author.

### Artificial Intelligence Statement

Artificial intelligence (AI) tools, including large language models, were used solely for language editing and improving readability. AI tools were not used for generating ideas, performing analyses, interpreting results, or writing the scientific content. All scientific conclusions and intellectual contributions were made exclusively by the authors.

### Publisher's Note

The publisher remains neutral regarding jurisdictional claims in published maps and institutional affiliations.

## References

- [1] Makki, A.A., Abdulaal, R.M.S. (2023). "A hybrid MCDM approach based on fuzzy MEREC-G and fuzzy RATMI". *Mathematics*, 11(17), 3773. <https://doi.org/10.3390/math11173773>
- [2] Narayanamoorthy, S., Annapoorani, V., Kalaiselvan, S., Kang, D. (2020). "Hybrid hesitant fuzzy multi-criteria decision-making method: A symmetric analysis of the selection of the best water distribution system". *Symmetry*, 12(12), 2096. <https://doi.org/10.3390/sym12122096>
- [3] Atanassov, K.T. (1986). "Intuitionistic fuzzy sets". *Fuzzy Sets and Systems*, 20(1), 87-96. [https://doi.org/10.1016/S0165-0114\(86\)80034-3](https://doi.org/10.1016/S0165-0114(86)80034-3)
- [4] Babakordi, F., Allahviranloo, T. (2022). "Introducing and solving the hesitant fuzzy system  $AX = B$ ". *Control and Cybernetics*, 50(4), 553-574. <https://doi.org/10.2478/candc-2021-0031>

- [5] Babakordi, F., Taghi-Nezhad, N.A. (2021). "Introducing hesitant fuzzy equations and determining market equilibrium price". *Control and Cybernetics*, 50(3), 363-382. <https://doi.org/10.2478/candc-2021-0022>
- [6] Babakordi, F., Taghi-Nezhad, N.A. (2024). "Hesitant fuzzy equation". *Control and Optimization in Applied Mathematics*, 9(1), 67-79. <https://doi.org/10.30473/coam.2023.68208.1240>
- [7] Babakordi, F. (2024). "Arithmetic operations on generalized trapezoidal hesitant fuzzy numbers and their application to solving generalized trapezoidal hesitant fully fuzzy equation". *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, 32(01), 85-108. <https://doi.org/10.1142/S0218488524500041>
- [8] Babakordi, F. (2025). "Introducing two new classes of hesitant fuzzy soft sets". *Fuzzy Optimization and Modeling Journal*, 6(1), 1-6. <https://doi.org/10.57647/j.fomj.2025.8670>
- [9] Benayoun, R., Roy, B., Sussman, B. (1966). "ELECTRE: Une méthode pour guider le choix en présence de points de vue multiples". *Note de travail 49, SEMA, Paris*. <https://side.developpement-durable.gouv.fr/CENT/doc/SYRACUSE/296320/electre-une-methode-pour-guider-le-choix-en-presence-de-points-de-vue-multiples>
- [10] Bhargava, A.K. (2013). "Fuzzy set theory, fuzzy logic, and their applications". *S. Chand Publishing*.
- [11] Ferrara, M., Ciano, T., Nava, C.R., Cananà, L. (2023). "Multi-criteria decision analysis: Hesitant fuzzy multi-criteria decision analysis towards expert systems for analyzing financial markets dynamics". *Soft Computing*. <https://doi.org/10.1007/s00500-023-09441-w>
- [12] Garg, H., Keikha, A., Nehi, H.M. (2020). "Multiple-attribute decision-making problem using TOPSIS and Choquet integral with hesitant fuzzy number information". *Mathematical Problems in Engineering*, 2756720. <https://doi.org/10.1155/2020/9874951>
- [13] Hansen, P., Devlin, N.J. (2019). "Multi-criteria decision-analysis (MCDA) in healthcare decision-making". *Oxford Research Encyclopedias, Economics and Finance*. <https://api.semanticscholar.org/CorpusID:195451503>
- [14] Hwang, C.L., Yoon, K. (1981). "Multiple attribute decision making: Methods and applications". *Lecture Notes in Economics and Mathematical Systems*, 186, Springer, Berlin. <https://doi.org/10.1007/978-3-642-48318-9>
- [15] Liao, H., Xu, Z. (2013). "A VIKOR-based method for hesitant fuzzy multi-criteria decision making". *Fuzzy Optimization and Decision Making*, 12(4), 373-392. <https://doi.org/10.1007/s10700-013-9162-0>
- [16] Liao H., Xu, Z. (2014). "Subtraction and division operations over hesitant fuzzy sets". *Journal of Intelligent and Fuzzy Systems*, 27(1), 65-72. <https://doi.org/10.3233/IFS-130978>
- [17] Liao, H., Xu, Z. (2017). "Hesitant fuzzy decision making methodologies and applications". *Springer, Berlin, Germany*. <https://doi.org/10.1007/978-981-10-3265-3>
- [18] Torra, V., Narukawa, Y. (2009). "On hesitant fuzzy sets and decision". In: *Proceedings of the 8th IEEE International Conference on Fuzzy Systems, Jeju Island, South Korea*, 1378-1382. <https://doi.org/10.1109/FUZZY.2009.5276884>
- [19] Opricovic, S., Tzeng, G.H. (2004). "Compromise solution by MCDM methods: A comparative analysis of VIKOR and TOPSIS". *European Journal of Operational Research*, 156(2), 445-455. [https://doi.org/10.1016/S0377-2217\(03\)00020-1](https://doi.org/10.1016/S0377-2217(03)00020-1)

- [20] Raza, R., Ab Ghani, A.T., Abdullah, L. (2025). "The development of IV-VIKOR method under hesitant fuzzy sets in MCDM". *Communications on Applied Nonlinear Analysis*, 32(1s), 212–220. <https://doi.org/10.52783/cana.v32.2150>
- [21] Saaty, T.L. (1980). "The analytic hierarchy process". *McGraw-Hill, New York*.
- [22] Saha, A., Rage, K., Senapati, T., Chatterjee, P., Zavadskas, E.K., Sliogerienė, J. (2025). "A consensus-based MULTIMOORA framework under probabilistic hesitant fuzzy environment for manufacturing vendor selection". *Informatica*, 36(3), 713–736. <https://doi.org/10.15388/24-INFOR581>
- [23] Taghi-Nezhad, N.A., Babakordi, F. (2023). "Fully hesitant parametric fuzzy equation". *Soft Computing*, 27(16), 11099–11110. <https://doi.org/10.1007/s00500-023-08401-8>
- [24] Torra, V. (2010). "Hesitant fuzzy sets". *International Journal of Intelligent Systems*, 25(6), 529–539. <https://doi.org/10.1002/int.20418>
- [25] Verma, R., Sharma, B.D. (2013). "New operations over hesitant fuzzy sets". *Fuzzy Information and Engineering*, 5(2), 129–146. <https://doi.org/10.1007/s12543-013-0137-1>
- [26] Xu, Z., Xia, M. (2011). "Distance and similarity measures for hesitant fuzzy sets". *Information Sciences*, 181(11), 2128–2138. <https://doi.org/10.1016/j.ins.2011.01.028>
- [27] Zadeh, L.A. (1965). "Fuzzy sets". *Information and Control*, 8(3), 338–353. [https://doi.org/10.1016/S0019-9958\(65\)90241-X](https://doi.org/10.1016/S0019-9958(65)90241-X)
- [28] Zhang, N., Wei, G. (2013). "Extension of VIKOR method for decision making problem based on hesitant fuzzy set". *Applied Mathematical Modeling*, 37(7), 4938–4947. <https://doi.org/10.1016/j.apm.2012.10.002>
- [29] Zhiming, Z., Wu, C. (2014). "Weighted hesitant fuzzy sets and their application to multi-criteria decision making". *Journal of Advances in Mathematics and Computer Science*, 4(8), 1091–1123. <https://doi.org/10.9734/BJMCS/2014/8533>

### Authors Bio-sketches

**Harmandeep Kaur** received her Master's degree and Bachelor's degree from the Akal University, Talwandi Sabo. Her research interests includes Multi Criteria Decision Making Techniques and Applied Mathematics.

**Sukhpreet Kaur Sidhu** received her Ph.D degree from the School of Mathematics, Thapar University, Patiala. She has completed her Master's degree from the Guru Nanak Dev University, Amritsar and Bachelor's degree from the Panjab University, Chandigarh. She is currently working as an Assistant Professor in Department of Mathematics, Akal University, Talwandi Sabo. She presented her research in various reputed national and international journals. Her research interests includes Fuzzy Optimization and Applied Mathematics. Corresponding author: Email: [sukhpreet\\_math@auts.ac.in](mailto:sukhpreet_math@auts.ac.in)